Contents of Volume 95 · 1995

Abbreviations in parenthesis refer to the following sections: (E) Editorial; (R) Review article; (O) Original investigation; (IC) Invited commentary; (AIC) Answer to an invited commentary; (SC) Short communication; (CC) Clinical case report; (CO) Case observed; (RG) Rare genetic variant register; (DV) DNA variants; (L) Letter to the editors

Abate I → Giambona A
Aizu K → Muroya K
Albarosa R, DiDonato S, Finocchiaro G: Redefinition of the coding sequence of the MXI1 gene and identification of a polymorphic repeat in the 3′ non-coding region that allows the detection of loss of heterozygosity of chromosome 10q25 in glioblastomas (SC) 709
Alvarez A → Deeb SS
Alves IL → Jacobson DR
Amati F, Mari A, Digilio MC, Mingarelli R, Marino B, Giannotti A, Novelli G, Dallapiccola B: 22q11 deletions in isolated and syndromic patients with tetralogy of Fallot (O) 479
Ambach H → Braun A
Ammannati F → Papi L
Andréo B → Pellestor F
Ansorge W → Bosch A
Apold J → Knappskog PM
Arakawa K → Bai H
Argyrokastritis A, Moschonas NK: Tetra-/di-nucleotide repeat polymorphism upstream of the human α2-globin gene locus at 16p13.3 (DV) 593
Arnason A → Forbes SA
Artlich A, Boysen A, Bunge S, Entzian P, Schlaak M, Schwinger E: Common CFTR mutations are not likely to predispose to chronic bronchitis in Northern Germany (SC) 226
Assmann G → Muntoni S

Badenhop R → Wang XL
Bai H, Saku K, Liu R, Imamura M, Arakawa K: Association between coronary heart disease and the apolipoprotein A-I/C-III/A-IV complex in a Japanese population (SC) 102
Baker B → Hoban PR
Barbosa AS, Ferraz-Costa TE, Semer M, Liberman B, Moreira-Filho CA: XY gonadal dysgenesis and gonadoblastoma: a study in two sisters with a cryptic deletion of the Y chromosome involving the SRY gene (O) 63
Barceló A, Girós M, Sarde CO, Pintos G, Mandel JL, Pàmpols T, Estivill X: De novo missense mutation Y174S in exon 1 of the adrenoleukodystrophy (ALD) gene (SC) 235
Baroncelli GI, Bertelloni S, Perri G, Saggese G: Association between X-linked hypophosphatemic rickets and Klinefelter's syndrome: effects on growth and body proportion (CC) 581
Bar-Shira A → Vanagaite L
Bartholomé K → Lüdecke B
Bartoli PC → Calabrò V
Bassas L → Casals T
Batzer MA → Kass DH
Beersum SEC van → Mariman ECM
Beeton L, Prchal JT, Coetzer TL: A *Taq*I polymorphism in the human erythroid β spectrin gene (DV) 365
Beldjord C → Bienvenu T
Bennett P → Loughna S
Benson MD → Steiner RD
Berg A → Tümer Z
Berg K → Leren TP
Berg MH van den, Meijer H, Geraedts JPM: A trinucleotide repeat combination polymorphism in the cardiac alpha myosin heavy chain (MYH6) gene (DV) 723
Berger W, Duijnhoven G van, Pinckers A, Smits A, Ropers H-H, Cremers F: Linkage analysis in a Dutch family with X-linked recessive congenital stationary night blindness (XL-CSNB) (O) 67
Berry R → Hellevuo K
Bertelloni S → Baroncelli GI
Bichlmaier R → Braun A
Bichlmaier R → Yuasa I
Bidichandani SI, Lanyon WG, Shiach CR, Lowe GDO, Connor JM: Detection of mutations in ectopic factor VIII transcripts from nine haemophilia A patients and the correlation with phenotype (O) 531
Bienvenu T, Lacronique V, Raymondjean M, Cazeneuve C, Hubert D, Kaplan J-C, Beldjord C: Three novel sequence variations in the 5′ upstream region of the cystic fibrosis transmembrane conductance regulator (CFTR) gene: two polymorphisms and one putative molecular defect (O) 698
Bigozzi U → Papi L
Billaud M → Rossel M
Birch JM → Hoban PR
Bisceglia L → Bonizzato A
Bisconte MG → Qualtieri A
Bjornsson A → Forbes SA
Blok RB, Thorburn DR, Thompson GN, Dahl H-HM: A topoisomerase II cleavage site is associated with a novel mitochondrial DNA deletion (O) 75
Boccazzi C → Brusco A
Boehm T → Nehls M
Böhm U, Dahm PF, McAllister BF, Greenbaum IF: Identifying chromosomal fragile sites from individuals: a multinomial statistical model (O) 249
Bogdanova N, Dworniczak B, Dragova D, Todorov V, Dimitrakov D, Kalinov K, Hallmayer J, Horst J, Kalaydjieva L: Genetic heterogeneity of polycystic kidney disease in Bulgaria (O) 645
Bohušová T → Kádasi L
Bombieri C → Bonizzato A
Bonaventure J → Sulisalo T
Bonizzato A, Bisceglia L, Marigo C, Nicolis E, Bombieri C, Castellani C, Borgo G, Zelante L, Mastella G, Cabrini G, Gasparini P, Pignatti PF: Analysis of the complete coding region of the CFTR gene in a cohort of CF patients from North-Eastern Italy: identification of 90% of the mutations (O) 397
Bonnardel C → Rossel M
Bonneau D → Gerber S
Borgo G → Bonizzato A
Bosch A, Guimerà J, Patterson D, Estivill X: Characterisation of three microsatellite polymorphisms (D21S1262, D21S1419 and D21S1421) from band 21q22.1 (DV) 596
Bosch A, Guimerà J, Wiemann S, Ansorge W, Patterson D, Estivill X: Identification of two highly polymorphic CA-repeats (D21S1224 and D21S1261) on human chromosome 21q22.3 (DV) 367
Bosch A, Wiemann S, Guimerà J, Ansorge W, Patterson D, Estivill X: Five new microsatellite polymorphisms at the q21 region of human chromosome 21 (SC) 119
Boteva K → Constantinou-Deltas CD
Bottaro A → Brusco A
Bourn D, Evans G, Mason S, Tekes S, Trueman L, Strachan T: Eleven novel mutations in the NF2 tumour suppressor gene (SC) 572
Bourn D, Strachan T: Highly polymorphic dinucleotide repeat at the NF2 gene (DV) 712
Boyd N → Tonin P
Boysen A → Artlich A
Brancati C → Qualtieri A
Brandt NJ → Schwartz M
Brauch H, Kishida T, Glavac D, Chen F, Pausch F, Höfler H, Latif F, Lerman MI, Zbar B, Neumann HPH: Von Hippel-Lindau (VHL) disease with pheochromocytoma in the Black Forest region of Germany: evidence for a founder effect (O) 551
Braun A, Ambach H, Bichlmaier R, Kammerer S, Roscher AA: Population study of a sequence polymorphism in intron 2 of the human β-globin gene (SC) 352
Braun A → Yuasa I
Brennan L → Forbes SA
Breslow JL → Zeng Q
Breuning MH → Constantinou-Deltas CD
Bria M → Qualtieri A
Brière J → Prades E
Brown CJ → Nagarajan S
Brunner C → Kraft HG
Brusco A, Cariota U, Bottaro A, Boccazzi C, Plebani A, Ugazio AG, Galanello R, Guerra MG, Carbonara AO: Variability of the immunoglobulin heavy chain

constant region locus: a population study (O) 319
Budde U → Schneppenheim R
Bunge S → Artlich A
Bunge S → Rathmann M
Bunyan DJ, Crolla JA, Collins AL, Robinson DO: Fluorescence in situ hybridisation studies provide evidence for somatic mosaicism in de novo dystrophin gene deletions (O) 43
Burgess AC → Guan X-Y
Burgt I van der → Sulisalo T
Busslinger M → Stapleton P
Buxbaum JN → Jacobson DR
Buys CHCM → Kooy RF
Byers PH → Rose NJ

Cabrini G → Bonizzato A
Calabrò V, Pengue G, Bartoli PC, Pagliuca A, Featherstone T, Lania L: Positional cloning of cDNAs from the human chromosome 3p21–22 region identifies a clustered organization of zinc-finger genes (O) 18
Calonge MJ, Nadal M, Calvano S, Testar X, Zelante L, Zorzano A, Estivill X, Gasparini P, Palacín M, Nunes V: Assignment of the gene responsible for cystinuria (rBAT) and of markers D2S119 and D2S177 to 2p16 by fluorescence in situ hybridization (O) 633
Calvano S → Calonge MJ
Calvieri F → DeBrasi D
Cama A, Luz Sierra M de la, Kadowaki T, Kadowaki H, Quon MJ, Rüdiger HW, Dreyer M, Taylor SI: Two mutant alleles of the insulin receptor gene in a family with a genetic form of insulin resistance: a 10 base pair deletion in exon 1 and a mutation substituting serine for asparagine-462 (O) 174
Camaschella C → Totaro A
Campbell JB → Sulisalo T
Campbell L → Forbes SA
Cappa F, Caridi G, Gimelli G, Ghiggeri GM: A new biallelic DNA polymorphism of the human COL5A1 gene (DV) 599
Cappellini MD, Martinez di Montemuros F, Dotti C, Tavazzi D, Fiorelli G: Molecular characterisation of the glucose-6-phosphate dehydrogenase (G6PD) Ferrara II variant (SC) 440
Carbonara AO → Brusco A
Caridi G → Cappa F
Cariota U → Brusco A
Carrera P → Esposito L
Carter R → Tonin P
Cartron J-P → Tournamille C
Casals T, Bassas L, Ruiz-Romero J, Chillón M, Giménez J, Ramos MD, Tapia G, Narváez H, Nunes V, Estivill X: Extensive analysis of 40 infertile patients with congenital absence of the vas deferens: in 50% of cases only one CFTR allele could be detected (O) 205
Casals T → Estivill X
Castellani C → Bonizzato A
Cazeneuve C → Bienvenu T
Chambon C → Prades E
Chan JY, Cheung M-C, Moi P, Chan K, Kan YW: Chromosomal localization of the human NF-E2 family of bZIP transcription factors by fluorescence in situ hybridization (O) 265
Chan K → Chan JY
Chang Tang C-J → Tang TK
Chapelle A de la → Salo P
Chapelle A de la → Sulisalo T
Charlieu JP → Pellestor F
Chehab FF → Giambona A
Chen F → Brauch H
Chen K-H → Tang TK
Cheng T-A → Tang TK
Cheung M-C → Chan JY
Chillón M → Casals T
Chitayat D → Sulisalo T
Christodoulou K → Constantinou-Deltas CD
Claustres M → Tuffery S
Clavey V → Segev H
Cleton FJ → Cornelis RS
Cleve H → Yuasa I
Cobos N → Estivill X
Coetzer TL → Beeton L
Cole D → Tonin P
Colin Y → Tournamille C
Collée JM → Vries HG de
Collins AL → Bunyan DJ
Collins FS → Vanagaite L
Colombo J-P → Oppliger Leibundgut E
Connor JM → Bidichandani SI
Constantinou-Deltas CD, Papageorgiou E, Boteva K, Christodoulou K, Breuning MH, Peters DJM, Pierides A: Genetic heterogeneity in adult dominant polycystic kidney disease in Cypriot families (O) 416
Cooper A → Tomatsu S
Cooper DN → Hallam PJ
Cornelis RS, Vasen HFA, Meijers-Heijboer H, Ford D, Vliet M van, Tilborg AAG van, Cleton FJ, Klijn JGM, Menko FH, Meera Khan P, Cornelisse CJ, Devilee P: Age at diagnosis as an indicator of eligibility for BRCA1 DNA testing in familial breast cancer (O) 539
Cornelisse CJ → Cornelis RS
Costa T → Wintle RF
Cox DW → Wintle RF
Cremers CWRJ → Mariman ECM
Cremers F → Berger W
Crolla JA → Bunyan DJ
Crolla JA, Harvey JF, Sitch FL, Dennis NR: Supernumerary marker 15 chromosomes: a clinical, molecular and FISH approach to diagnosis and prognosis (O) 161
Cromwell S → Phillips OP
Cutler C → Tonin P

Dahl H-HM → Blok RB
Dahm PF → Böhm U
Daiger SP → McGuire RE
Dailey HA → Prades E
Dailey TA → Prades E
Dalgleish R → Rose NJ
Dallapiccola B → Amati F
Daly AK, Leathart JBS, London SJ, Idle JR: An inactive cytochrome P450 *CYP2D6* allele containing a deletion and a base substitution (O) 337
Dammerman M → Zeng Q
Daniëls O → Hol FA
Dapena J → Estivill X
David D, Tavares A, Lavinha J: Characterization of a splicing mutation in the factor VIII gene at the RNA level (SC) 109
DeBrasi D, Genuardi M, D'Agostino A, Calvieri F, Tozzi C, Varrone S, Neri G: Double autosomal/gonosomal mosaic aneuploidy: study of nondisjunction in two cases with trisomy of chromosome 8 (O) 519
Deeb SS, Alvarez A, Malkki M, Motulsky AG: Molecular patterns and sequence polymorphisms in the red and green visual pigment genes of Japanese men (O) 501
Deininger PL → Kass DH
Deka A → Law JC
De Koning Gans PAM → De Rooij KE
Delbart C → Segev H
Della Valle G → Saccone S
Delport R → Sandholzer C
Demaille J → Tuffery S
Den Dunnen JT → De Rooij KE
Dennis NR → Crolla JA
De Rooij KE, De Koning Gans PAM, Roos RAC, Van Ommen G-JB, Den Dunnen JT: Somatic expansion of the $(CAG)_n$ repeat in Huntington disease brains (O) 270
De Sandre G → Totaro A
Devilee P → Cornelis RS
De Vitis LR → Papi L
DiDonato S → Albarosa R
Digilio MC → Amati F
Di Marzo R → Giambona A
Dimitrakov D → Bogdanova N
Ding M, Umetsu K, Yuasa I, Sato M, Harada A, Suzuki T: Molecular basis of inter-alpha-trypsin inhibitor heavy chain H1 (ITIH1) polymorphism (SC) 435
Di Trapani F → Giambona A
Dobashi Y, Kubota Y, Shuin T, Torigoe S, Yao M, Hosaka M: Polymorphisms in the human DNA polymerase β gene (O) 389
Doi N → Isashiki Y
Dono R → Saccone S
Dooley TP → Henkel RD
Dotti C → Cappellini MD
Dragova D → Bogdanova N
Dreyer M → Cama A
Duijnhoven G van → Berger W
Dunnen JT den → Köchling S
Dworniczak B → Bogdanova N
Dworniczak B → Köchling S
Dworniczak B → Lüdecke B
D'Agostino A → DeBrasi D
D'Agruma L → Totaro A

Efremov GD → Petreska L
Eiken HG → Knappskog PM
Elfving P → Knuutila S
Elias S → Phillips OP
El-Rifai W → Knuutila S
Entzian P → Artlich A
Epplen JT → Lucotte G
Esposito L, Carrera P, Pontiroli AE, Ferrari M: Failure to detect Glut4-Ile^{383} and IR-Gln^{1152} variants in NIDDM (non-insulin dependent diabetes

mellitus) and control subjects in an Italian population (SC) 115
Est MN van der → Ouweland AMW van den
Estivill X → Barceló A
Estivill X → Bosch A
Estivill X → Calonge MJ
Estivill X → Casals T
Estivill X, Ortigosa L, Pérez-Frias J, Dapena J, Ferrer J, Peña J, Peña L, Llevadot R, Giménez J, Nunes V, Cobos N, Vázquez C, Casals T: Clinical characteristics of 16 cystic fibrosis patients with the missense mutation R334W, a pancreatic insufficiency mutation with variable age of onset and interfamilial clinical differences (O) 331
Eto Y → Ida H
Evans G → Bourn D
Evans JP → Steiner RD

Featherstone T → Calabrò V
Ferrari M → Esposito L
Ferraz-Costa TE → Barbosa AS
Ferrer J → Estivill X
Ferák V → Kádasi L
Feráková E → Kádasi L
Finocchiaro G → Albarosa R
Fiorelli G → Cappellini MD
Fischer C → Steinlein O
Fisher EMC → Hernandez D
Fislage R → Hahn M
Flatmark T → Knappskog PM
Forbes SA, Richardson M, Brennan L, Arnason A, Bjornsson A, Campbell L, Moore G, Stanier P: Refinement of the X-linked cleft palate and ankyloglossia (CPX) localisation by genetic mapping in an Icelandic kindred (O) 342
Ford D → Cornelis RS
Frey H → Lehtimäki T
Frezal J → Gerber S
Fujita R, Skolnick C, Pakstis AJ, Yang-Feng TL, Swaroop A: Dinucleotide polymorphism at the *DXS1178* locus is tightly linked to *PGK1* at Xq13 (DV) 467
Fukuda S → Iwata H
Fukuda S → Tomatsu S
Fukumura R → Taniyama T
Fukushima Y → Muroya K
Fukushima Y → Namikawa C
Funke H → Muntoni S

Gal A → Rathmann M
Galanello R → Brusco A
Galindo LV → Henkel RD
Gane P → Tournamille C
Gannon AM → McGuire RE
García-Pérez MA, Sanjurjo P, Rubio V: Demonstration of the spf-ash mutation in Spanish patients with ornithine transcarbamylase deficiency of moderate severity (O) 183
Gardet P → Rossel M
Gardner J → Hoban PR
Gasparini P → Bonizzato A
Gasparini P → Calonge MJ
Gasparini P → Totaro A
Gelernter J, Pakstis AJ, Kidd KK: Linkage mapping of serotonin transporter protein gene SLC6A4 on chromosome 17 (O) 677
Genuardi M → DeBrasi D
Geraedts JPM → Berg MH van den
Gerber S, Rozet J-M, Bonneau D, Souied E, Weissenbach J, Frezal J, Munnich A, Kaplan J: Exclusion of the cone-specific α-subunit of the transducin gene in Stargardt's disease (O) 382
Gessler M → Vortkamp A
Geurds MPA → Hol FA
Ghiggeri GM → Cappa F
Giambona A, Lo Gioco P, Marino M, Abate I, Di Marzo R, Renda M, Di Trapani F, Messana F, Siciliano S, Rigano P, Chehab FF, Kazazian HH, Maggio A: The great heterogeneity of thalassemia molecular defects in Sicily (O) 526
Giannotti A → Amati F
Gieselmann V → Kafert S
Gilad S → Vanagaite L
Gilchrist D → Tonin P
Giménez J → Casals T
Giménez J → Estivill X
Gimelli G → Cappa F
Girardet A → Pellestor F
Girós M → Barceló A
Glavac D → Brauch H
Gordova-Muratovska A → Petreska L
Gosden J → Speel EJM
Gossen M, Wüllrich A, Kilimann MW: Dinucleotide repeat polymorphism within the PHKA1 gene at Xq12–q13 (DV) 469
Gotoh E → Kusuda J
Graham C → Hughes D
Grandchamp B → Prades E
Green R → Tonin P
Greenbaum IF → Böhm U
Grifa A → Totaro A
Grimmond S, Weber G, Larsson C, Walters M, Teh B, Shepherd J, Nordenskjold M, Hayward N: Exclusion of the 13-kDa rapamycin binding protein gene (FKBP2) as a candidate gene for multiple endocrine neoplasia type 1 (SC) 455
Grzeschik K-H → Tsuji K
Grzeschik K-H → Vortkamp A
Guan X-Y, Meltzer PS, Burgess AC, Trent JM: Coverage of chromosome 6 by chromosome microdissection: generation of 14 subregion-specific probes (O) 637
Guerra MG → Brusco A
Guimerà J → Bosch A

Häussler M → Steinlein O
Hahn M, Fislage R, Pingoud A: Polymorphism of the pentanucleotide repeat d(AAAAT) within intron 1 of the human tumor suppressor gene p53 (17p13.1) (DV) 471
Haibach C → Kraft HG
Hallam PJ, Wacey AI, Mannucci PM, Legnani C, Kühnau W, Krawczak M, Kakkar VV, Cooper DN: A novel missense mutation (Thr176→Ile) at the putative hinge of the neo N-terminus of activated protein C (SC) 447
Halley DJJ → Ouweland AMW van den
Hallmayer J → Bogdanova N
Hamel BCJ → Hol FA
Hansmann I → Hol FA
Harada A → Ding M
Harvey JF → Crolla JA
Hashimoto K → Kusuda J
Hasholt L → Nørremølle A
Haslam RHA → Wintle RF
Hata A → Namikawa C
Hayward N → Grimmond S
Hazout S → Lucotte G
Hebebrand J, Remschmidt H: Anorexia nervosa viewed as an extreme weight condition: genetic implications (R) 1
Heid C → Vortkamp A
Heighway J → Hoban PR
Heinisch U → Kafert S
Hellevuo K, Berry R, Sikela JM, Tabakoff B: Localization of the gene for a novel human adenylyl cyclase (ADCY7) to chromosome 16 (O) 197
Henkel RD, Galindo LV, Dooley TP: Detection of a *Hind*III restriction fragment length polymorphism in the human phenol sulfotransferase (STP) locus (DV) 245
Hennekam RCM → Ouweland AMW van den
Hernandez D, Pannett AAJ, Tybulewicz V, Fisher EMC: Highly polymorphic sequence at D21S1448 mapping close to D21S55, within the Down syndrome critical region (DV) 721
Hikiji K → Takiguchi-Shirahama S
Hilbert K → Winterpacht A
Hill A → Hughes D
Hirakawa T → Taniyama T
Hoban PR, Heighway J, White GRM, Baker B, Gardner J, Birch JM, Morris-Jones P, Kelsey AM: Genome-wide loss of maternal alleles in a nephrogenic rest and Wilms' tumour from a BWS patient (O) 651
Höfler H → Brauch H
Hoffman EP → Kobayashi H
Høgdall E → Schwartz M
Hokita N → Isashiki Y
Hol FA, Hamel BCJ, Geurds MPA, Hansmann I, Nabben FAE, Daniëls O, Mariman ECM: Localization of Alagille syndrome to 20p11.2–p12 by linkage analysis of a three-generation family (O) 687
Holm T → Schwartz M
Hopman AHN → Speel EJM
Hori T → Iwata H
Hori T → Tomatsu S
Horst J → Bogdanova N
Horst J → Köchling S
Hosaka M → Dobashi Y
Hovland K → Rodenhiser D
Hruškovič I → Kádasi L
Hsu M → Tang TK
Huang W-Y → Tang TK
Hubert D → Bienvenu T
Hudecová S → Kádasi L
Hughes D, Hill A, Redmond A, Nevin N, Graham C: Fluorescent multiplex microsatellites used to identify haplotype associations with 15 CFTR mutations in 124 Northern Irish CF families (DV) 462
Hughes TP → Kumar S
Humphrey KE → Wang XL

Ida H, Iwasawa K, Kawame H, Rennert OM, Maekawa K, Eto Y: Characteristics of gene mutations among 32 unrelated Japanese Gaucher disease patients: absence of the common Jewish 84GG and 1226G mutations (DV) 717
Idle JR → Daly AK
Iinuma K → Ohura T
Ikemoto S → Kajii E
Imamura M → Bai H
Inoue K → Osaka H
Isashiki Y, Ohba N, Yanagita T, Hokita N, Doi N, Nakagawa M, Ozawa M, Kuroda N: Novel mutation at the initiation codon in the Norrie disease gene in two Japanese families (SC) 105
Ishii S → Okumiya T
Ives E → Tonin P
Iwasawa K → Ida H
Iwata H, Tomatsu S, Fukuda S, Uchiyama A, Rezvi GMM, Ogawa T, Hori T, Nakashima Y, Yamagishi A, Sukegawa K, Shimozawa N, Suzuki Y, Kondo N, Orii T: Mucopolysaccharidosis IVA: polymorphic haplotypes and informative RFLPs in the Japanese population (O) 257

Jacobson DR, Alves IL, Saraiva MJ, Thibodeau SN, Buxbaum JN: Transthyretin Ser 6 gene frequency in individuals without amyloidosis (O) 308
James HL → Kim DJ
James MR → Vanagaite L
Jessat U → Schneppenheim R
Johansson C → Larsson C
Jurukovski VA → Novak AZ
Juttner CA → Kumar S

Kádasi L, Poláková H, Feráková E, Hudecová S, Bohušová T, Szomolayová I, Strnová J, Hruškovič I, Moschonas NK, Ferák V: PKU in Slovakia: mutation screening and haplotype analysis (SC) 112
Kadowaki H → Cama A
Kadowaki T → Cama A
Kähkönen M → Kokkonen H
Kääriäinen H → Salo P
Kafert S, Heinisch U, Zlotogora J, Gieselmann V: A missense mutation P136L in the arylsulfatase A gene causes instability and loss of activity of the mutant enzyme (O) 201
Kaitila I → Sulisalo T
Kajii E, Umenishi F, Omi T, Ikemoto S: Intricate combinatorial patterns of exon splicing generate multiple Rh-related isoforms in human erythroid cells (O) 657
Kakkar VV → Hallam PJ
Kalaydjieva L → Bogdanova N
Kalinov K → Bogdanova N
Kamboh MI, Wagenknecht DR, McIntyre JA: Heterogeneity of the apolipoprotein *H*3* allele and its role in affecting the binding of apolipoprotein H (β2-glycoprotein I) to anionic phospholipids (O) 385
Kamei S → Okumiya T
Kammerer S → Braun A
Kammerer S → Yuasa I
Kan YW → Chan JY
Kaplan J → Gerber S
Kaplan J-C → Bienvenu T
Kase R → Okumiya T
Kass DH, Batzer MA, Deininger PL: A new restriction-site polymorphism in exon 18 of the low density lipoprotein receptor (LDLR) gene (DV) 363
Kawame H → Ida H
Kawanishi C → Osaka H
Kazazian HH → Giambona A
Kelsey AM → Hoban PR
Kidd KK → Gelernter J
Kilimann MW → Gossen M
Kim DJ, Thompson AR, James HL: Factor $X_{Ketchikan}$: a variant molecule in which Gly replaces a Gla residue at position 14 in the light chain (O) 212
Kimura S → Osaka H
King RA → Wildenberg SC
Kishida T → Brauch H
Klijn JGM → Cornelis RS
Klink A → Muroya K
Kluwe L, Pulst SM, Köppen J, Mautner V-F: A 163-bp deletion at the C-terminus of the schwannomin gene associated with variable phenotypes of neurofibromatosis type 2 (SC) 443
Knappskog PM, Eiken HG, Martinez A, Flatmark T, Apold J: The PKU mutation S349P causes complete loss of catalytic activity in the recombinant phenylalanine hydroxylase enzyme (O) 171
Knuutila S, Larramendy ML, Elfving P, El-Rifai W, Miettinen A, Mitelman F: Trisomy 7 in non-neoplastic tubular epithelial cells of the kidney (O) 149
Kobayashi H, Matise TC, Perlin MW, Marks HG, Hoffman EP: Towards fully automated genotyping: use of an X linked recessive spastic paraplegia family to test alternative analysis methods (O) 483
Kobayashi Y → Taniyama T
Kočeva S → Petreska L
Köchling S, Dunnen JT den, Dworniczak B, Horst J: Two polymorphic dinucleotide repeats in intron 44 of the dystrophin gene (DV) 475
Köppen J → Kluwe L
Kofler A → Yuasa I
Kokai GK → Novak AZ
Kokkonen H, Kähkönen M, Leisti J: A molecular and cytogenetic study in Finnish Prader-Willi patients (O) 568
Kondo N → Iwata H
Kondo N → Tomatsu S
Kooy RF, Verlind E, Wijngaard A, Shapiro DN, Scheffer H, Buys CHCM: A highly informative dinucleotide repeat polymorphism at D13S201, between RB1 and WND (DV) 589
Kosaka K → Osaka H
Koyama K → Takiguchi-Shirahama S
Kozmik Z → Stapleton P
Kraft HG, Haibach C, Lingenhel A, Brunner C, Trommsdorff M, Kronenberg F, Müller HJ, Utermann G: Sequence polymorphism in kringle IV 37 in linkage disequilibrium with the apolipoprotein (a) size polymorphism (O) 275
Krawczak M → Hallam PJ
Krey S → Schneppenheim R
Kronenberg F → Kraft HG
Kubota Y → Dobashi Y
Kühnau W → Hallam PJ
Kumar S → Takai S
Kumar S, White DL, Takai S, Turczynowicz S, Juttner CA, Hughes TP: Apoptosis regulatory gene NEDD2 maps to human chromosome segment 7q34–35, a region frequently affected in haematological neoplasms (O) 641
Kunz J → Tsuji K
Kuroda N → Isashiki Y
Kusuda J, Tanuma R, Gotoh E, Toyoda A, Hashimoto K: Assignment of a human autoimmune antigen, p80-coilin gene to chromosome 17q21–q23 and of its possible pseudogene to chromosome 14 (SC) 233

Labrie F → Tonin P
Lacronique V → Bienvenu T
Lania L → Calabrò V
Lanyon WG → Bidichandani SI
Larramendy ML → Knuutila S
Larsson C → Grimmond S
Larsson C, White I, Johansson C, Stark A, Meijer J: Localization of the human soluble epoxide hydrolase gene (EPHX2) to chromosomal region 8p21-p12 (SC) 356
Latif F → Brauch H
Laurent A-M → Yurov YB
Lavinha J → David D
Law JC, Deka A: Identification of a *Pst*I polymorphism in the $p21^{Cip1/Waf1}$ cyclin-dependent kinase inhibitor gene (DV) 459
Lawson D → Speel EJM
Leathart JBS → Daly AK
Lefort G → Pellestor F
Legnani C → Hallam PJ
Lehtimäki T, Pirttilä T, Mehta PD, Wisniewski HM, Frey H, Nikkari T: Apolipoprotein E (apoE) polymorphism and its influence on ApoE concentrations in the cerebrospinal fluid in Finnish patients with Alzheimer's disease (O) 39
Leisti J → Kokkonen H
Leitersdorf E → Segev H
Lenoir G → Rossel M
Leren TP, Sundvold H, Rødningen OK, Tonstadt S, Solberg K, Ose L, Berg K: Screening for known mutations in the LDL receptor gene causing familial hypercholesterolemia (O) 671
Lerman MI → Brauch H
Le Van Kim C → Tournamille C
Liberman B → Barbosa AS
Liechti-Gallati S → Oppliger Leibundgut E
Lin H-C, Reichardt JKV: Linkage disequilibrium between a *Sac*I restriction fragment length polymorphism and two galactosemia mutations (SC) 353
Lingenhel A → Kraft HG
Liu R → Bai H
Llevadot R → Estivill X
Lo Gioco P → Giambona A
Loirat F → Lucotte G
London SJ → Daly AK

Los FJ → Ouweland AMW van den
Loughna S, Bennett P, Moore G: Molecular analysis of the expression of transthyretin in intestine and liver from trisomy 18 fetuses (O) 89
Lowe GDO → Bidichandani SI
Lucotte G, Turpin JC, Riess O, Epplen JT, Siedlaczk I, Loirat F, Hazout S: Confidence intervals for predicted age of onset, given the size of $(CAG)_n$ repeat, in Huntington's disease (SC) 231
Ludoski MD → Novak AZ
Lüdecke B, Bartholomé K: Frequent sequence variant in the human tyrosine hydroxylase gene (DV) 716
Lüdecke B, Dworniczak B, Bartholomé K: A point mutation in the tyrosine hydroxylase gene associated with Segawa's syndrome (CC) 123
Lunardi C → Totaro A
Luo Y → Rossel M
Luz Sierra M de la → Cama A

Mackay K → Rose NJ
Maekawa K → Ida H
Maggio A → Giambona A
Malkki M → Deeb SS
Mandel JL → Barceló A
Mannucci PM → Hallam PJ
Marcais B → Yurov YB
Margolese R → Tonin P
Mari A → Amati F
Marigo C → Bonizzato A
Mariman ECM, Beersum SEC van, Cremers CWRJ, Struycken PM, Ropers HH: Fine mapping of a putatively imprinted gene for familial non-chromaffin paragangliomas to chromosome 11q13.1: evidence for genetic heterogeneity (O) 56
Mariman ECM → Hol FA
Marino B → Amati F
Marino M → Giambona A
Marks HG → Kobayashi H
Martinez A → Knappskog PM
Martinez di Montemuros F → Cappellini MD
Mason S → Bourn D
Mastella G → Bonizzato A
Matise TC → Kobayashi H
Matsunaga A → Zeng Q
Matsuo N → Muroya K
Matsuo N → Ogata T
Mautner V-F → Kluwe L
McAllister BF → Böhm U
McGillivray B → Tonin P
McGuire RE, Gannon AM, Sullivan LS, Rodriguez JA, Daiger SP: Evidence for a major gene (RP10) for autosomal dominant retinitis pigmentosa on chromosome 7q: linkage mapping in a second, unrelated family (O) 71
McIntyre JA → Kamboh MI
Medof ME → Nagarajan S
Meera Khan P → Cornelis RS
Meeuwsen WP → Vries HG de
Mehta PD → Lehtimäki T
Meijer H → Berg MH van den
Meijer J → Larsson C
Meijers-Heijboer H → Cornelis RS
Meijers-Heijboer HJ → Ouweland AMW van den
Meltzer PS → Guan X-Y
Menko FH → Cornelis RS
Mennonna P → Papi L
Messana F → Giambona A
Michelotti GA, Snider JV, Sodetz JM: Genomic organization of human complement protein C8α and further examination of its linkage to C8β (O) 513
Miettinen A → Knuutila S
Mikkelsen M → Tümer Z
Minder EI → Schneider-Yin X
Mingarelli R → Amati F
Mitelman F → Knuutila S
Miyauchi A → Takiguchi-Shirahama S
Miyazaki E → Taniyama T
Modigliani E → Rossel M
Moi P → Chan JY
Moine P → Tuffery S
Montali E → Papi L
Moore G → Forbes SA
Moore G → Loughna S
Moore KW → Taniyama T
Moreira-Filho CA → Barbosa AS
Moreno F → Viribay M
Morgan K → Tonin P
Morris-Jones P → Hoban PR
Moschonas NK → Argyrokastritis A
Moschonas NK → Kádasi L
Moslehi R → Tonin P
Motta S → Saccone S
Motulsky AG → Deeb SS
Müller HJ → Kraft HG
Munnich A → Gerber S
Muntoni S, Wiebusch H, Funke H, Ros E, Seedorf U, Assmann G: Homozygosity for a splice junction mutation in exon 8 of the gene encoding lysosomal acid lipase in a Spanish kindred with cholesterol ester storage disease (CESD) (O) 491
Muroya K, Ogata T, Rappold G, Klink A, Nakahori Y, Fukushima Y, Aizu K, Matsuo N: Refinement of the locus for X-linked recessive chondrodysplasia punctata (SC) 577

Nabben FAE → Hol FA
Nadal M → Calonge MJ
Nagarajan S, Brown CJ, Medof ME: Identification of a PIG-A related processed gene on chromosome 12 (O) 691
Nakagawa M → Isashiki Y
Nakahori Y → Muroya K
Nakamura Y → Takiguchi-Shirahama S
Nakashima Y → Iwata H
Nakashima Y → Tomatsu S
Namikawa C, Suzumori K, Fukushima Y, Sasaki M, Hata A: Recurrence of osteogenesis imperfecta because of paternal mosaicism: Gly^{862}→Ser substitution in a type I collagen gene (COL1A1) (O) 666
Narahara K → Tsuji K
Narisawa K → Ohura T
Narod SA → Tonin P
Narváez H → Casals T
Navarro J → Rossel M
Nazer H → Russell A
Nehls M, Schorpp M, Boehm T: An intragenic deletion in the human PTPN6 gene affects transcriptional activity (DV) 713
Neri G → DeBrasi D
Neumann HPH → Brauch H
Nevin N → Hughes D
Nezu A → Osaka H
Nicolis E → Bonizzato A
Nielsen JE → Nørremølle A
Niermeijer MF → Ouweland AMW van den
Nikkari T → Lehtimäki T
Noda M → Takai S
Nordenskjold M → Grimmond S
Nørremølle A, Nielsen JE, Sørensen SA, Hasholt L: Elongated CAG repeats of the B37 gene in a Danish family with dentato-rubro-pallido-luysian atrophy (O) 313
Novak AZ, Kokai GK, Popovic VP, Ludoski MD, Jurukovski VA: Interphase cytogenetics on paraffin-embedded sections of ovary for detection of genomic constitution in a patient with Turner's syndrome and chromosomal mosaicism (O) 293
Novelli G → Amati F
Nunes V → Calonge MJ
Nunes V → Casals T
Nunes V → Estivill X

Oetting WS → Wildenberg SC
Ogata T, Matsuo N: Turner syndrome and female sex chromosome aberrations: deduction of the principal factors involved in the development of clinical features (O) 607
Ogata T → Muroya K
Ogawa T → Iwata H
Ohba N → Isashiki Y
Ohura T, Narisawa K, Tada K, Iinuma K: A novel splicing mutation in propionic acidemia associated with a tetranucleotide direct repeat in the PCCB gene (SC) 707
Oishi S → Takiguchi-Shirahama S
Okumiya T, Ishii S, Kase R, Kamei S, Sakuraba H, Suzuki Y: α-Galactosidase gene mutations in Fabry disease: heterogeneous expressions of mutant enzyme proteins (O) 557
Omi T → Kajii E
Onishi H → Osaka H
Oppliger Leibundgut E, Liechti-Gallati S, Colombo J-P, Wermuth B: Ornithine transcarbamylase deficiency: new sites with increased probability of mutation (O) 191
Orii T → Iwata H
Orii T → Tomatsu S
Ortigosa L → Estivill X
Osaka H, Inoue K, Kawanishi C, Yamada Y, Onishi H, Sugiyama N, Suzuki K, Nezu A, Kimura S, Kosaka K: *Mva*I polymorphism in the proteolipid protein (PLP) gene (DV) 461
Ose L → Leren TP
Ouweland AMW van den, Est MN van der, Wesby-van Swaay E, Tijmensen TSLN, Los FJ, Van Hemel JO, Hennekam RCM, Meijers-Heijboer HJ, Niermeijer MF, Halley DJJ: DNA diagnosis of Prader-Willi and Angelman syndromes with the probe PW71 (D15S63) (O) 562
Ozawa M → Isashiki Y

Page DC → Salo P
Pagliuca A → Calabrò V
Pakstis AJ → Fujita R
Pakstis AJ → Gelernter J
Palacín M → Calonge MJ
Pàmpols T → Barceló A
Pannett AAJ → Hernandez D
Papageorgiou E → Constantinou-Deltas CD
Papi L, De Vitis LR, Vitelli F, Ammannati F, Mennonna P, Montali E, Bigozzi U: Somatic mutations in the neurofibromatosis type 2 gene in sporadic meningiomas (O) 347
Pasqua A → Qualtieri A
Patterson D → Bosch A
Paunio T → Steiner RD
Pausch F → Brauch H
Pellestor F, Girardet A, Lefort G, Andréo B, Charlieu JP: Use of the primed in situ labelling (PRINS) technique for a rapid detection of chromosomes 13, 16, 18, 21, X and Y (O) 12
Peña J → Estivill X
Peña L → Estivill X
Pengue G → Calabrò V
Pérez-Frias J → Estivill X
Perlin MW → Kobayashi H
Perri G → Baroncelli GI
Persico GM → Saccone S
Peters DJM → Constantinou-Deltas CD
Petreska L, Kočeva S, Gordova-Muratovska A, Efremov GD: A new polymorphism in exon 7 of the cystic fibrosis transmembrane regulator (CFTR) gene (DV) 465
Phillips OP, Cromwell S, Rivas M, Simpson JL, Elias S: Trisomy 21 and maternal age of menopause: does reproductive age rather than chronological age influence risk of nondisjunction? (SC) 117
Pierides A → Constantinou-Deltas CD
Pignatti PF → Bonizzato A
Pinckers A → Berger W
Pingoud A → Hahn M
Pintos G → Barceló A
Pirttilä T → Lehtimäki T
Plebani A → Brusco A
Poduslo SE, Schwankhaus J: A new polymorphism in the gene for the dopamine D2 receptor (DV) 603
Poláková H → Kádasi L
Pontiroli AE → Esposito L
Popovic VP → Novak AZ
Prades E, Chambon C, Dailey TA, Dailey HA, Brière J, Grandchamp B: A new mutation of the ALAS2 gene in a large family with X-linked sideroblastic anemia (O) 424
Prchal JT → Beeton L
Pulst SM → Kluwe L

Qualtieri A, Bisconte MG, Pasqua A, Bria M, Brancati C: SPα$^{1/65}$ hereditary elliptocytosis in Calabria (southern Italy) (SC) 359
Quon MJ → Cama A

Ramos MD → Casals T
Rapisarda A → Saccone S
Rappold G → Muroya K
Rappold GA → Toder R
Rathmann M, Bunge S, Steglich C, Schwinger E, Gal A: Evidence for an iduronate-sulfatase pseudogene near the functional Hunter syndrome gene in Xq27.3–q28 (O) 34
Raymondjean M → Bienvenu T
Redmond A → Hughes D
Reichardt JKV → Lin H-C
Remschmidt H → Hebebrand J
Renda M → Giambona A
Rennert OM → Ida H
Reshef A → Segev H
Rezvi GMM → Iwata H
Richard III CW → Vanagaite L
Richardson M → Forbes SA
Riess O → Lucotte G
Rigano P → Giambona A
Rimoin DL → Sulisalo T
Rivas M → Phillips OP
Robinson DO → Bunyan DJ
Rodenhiser D, Hovland K: A novel *Rsa*I polymorphism within intron 39 of the neurofibromatosis type 1 (NF1) gene (DV) 241
Rødningen OK → Leren TP
Rodriguez JA → McGuire RE
Roetto A → Totaro A
Roizes G → Yurov YB
Romeo G → Rossel M
Roos RAC → De Rooij KE
Ropers H-H → Berger W
Ropers HH → Mariman ECM
Ros E → Muntoni S
Roscher AA → Braun A
Rose NJ, Mackay K, Byers PH, Dalgleish R: A Gly238Ser substitution in the α2 chain of type I collagen results in osteogenesis imperfecta type III (O) 215
Rosen B → Tonin P
Rossel M, Schuffenecker I, Schlumberger M, Bonnardel C, Modigliani E, Gardet P, Navarro J, Luo Y, Romeo G, Lenoir G, Billaud M: Detection of a germline mutation at codon 918 of the RET proto-oncogene in French MEN 2B families (O) 403
Rotman G → Vanagaite L
Routier G → Segev H
Rozet J-M → Gerber S
Rubio V → García-Pérez MA
Rüdiger HW → Cama A
Ruiz-Romero J → Casals T
Russell A, Nazer H, Shams A, Sjövall J, Sutcliffe R: No linkage to the 3β-HSD gene cluster in a kindred affected with 3β-hydroxy-Δ^5-C_{27}-steroid dehydrogenase deficiency and early onset hepatic failure (CC) 586

Saccone S, Rapisarda A, Motta S, Dono R, Persico GM, Della Valle G: Regional localization of th human EGF-like growth factor CRIPTO gene *(TDGF-1)* to chromosome 3p21 (SC) 229
Saggese G → Baroncelli GI
Saku K → Bai H
Sakuraba H → Okumiya T
Salo P, Kääriäinen H, Page DC, Chapelle A de la: Deletion mapping of stature determinants on the long arm of the Y chromosome (O) 283
Sandholzer C, Delport R, Vermaak H, Utermann G: High frequency of the apo ε4 allele in Khoi San from South Africa (O) 46
Sanjurjo P → García-Pérez MA
San Millán JL → Viribay M
Saraiva MJ → Jacobson DR
Sarde CO → Barceló A
Sartiel A → Vanagaite L
Sasaki J → Zeng Q
Sasaki M → Namikawa C
Sato J → Taniyama T
Sato M → Ding M
Savitsky K → Vanagaite L
Sawyer JR: High resolution mid-prophase human chromosomes induced by echinomycin and ethidium bromide (O) 49
Sbaiz L → Totaro A
Schäfer BW → Schneider-Yin X
Scheffer H → Kooy RF
Scheffer H → Vries HG de
Schempp W → Toder R
Schiebel K → Toder R
Schlaak M → Artlich A
Schlumberger M → Rossel M
Schneider-Yin X, Schäfer BW, Tönz O, Minder EI: Human ferrochelatase: a novel mutation in patients with erythropoietic protoporphyria and an isoform caused by alternative splicing (O) 391
Schneppenheim R, Thomas KB, Krey S, Budde U, Jessat U, Sutor AH, Zieger B: Identification of a candidate missense mutation in a family with von Willebrand disease type IIC (O) 681
Schnur RE, Wick PA: Intragenic *Taq*I restriction fragment length polymorphism (RFLP) in ClCN4, between the loci for X-linked ocular albinism (OA1) and microphthalmia with linear skin defects syndrome (MLS) (DV) 594
Schorpp M → Nehls M
Schuffenecker I → Rossel M
Schuster V → Steinlein O
Schwankhaus J → Poduslo SE
Schwartz M, Sørensen N, Brandt NJ, Høgdall E, Holm T: High incidence of cystic fibrosis on The Faroe Islands: a molecular and genealogical study (O) 703
Schwarze U → Winterpacht A
Schwinger E → Artlich A
Schwinger E → Rathmann M
Scott CI → Sulisalo T
Seedorf U → Muntoni S
Segev H, Reshef A, Clavey V, Delbart C, Routier G, Leitersdorf E: Premature termination codon at the sterol 27-hydroxylase gene causes cerebrotendinous xanthomatosis in a French family (CC) 238
Semer M → Barbosa AS
Shams A → Russell A
Shapiro DN → Kooy RF
Sheffield VC → Vanagaite L
Shepherd J → Grimmond S
Shiach CR → Bidichandani SI
Shiloh Y → Vanagaite L
Shimozawa N → Iwata H
Shimozawa N → Tomatsu S
Shuin T → Dobashi Y

Siciliano S → Giambona A
Siedlaczk I → Lucotte G
Sikela JM → Hellevuo K
Sillence D → Sulisalo T
Simard J → Tonin P
Simpson JL → Phillips OP
Sistonen P → Sulisalo T
Sitch FL → Crolla JA
Sjövall J → Russell A
Skolnick C → Fujita R
Smits A → Berger W
Snider JV → Michelotti GA
Sodetz JM → Michelotti GA
Solberg K → Leren TP
Souied E → Gerber S
Speel EJM, Lawson D, Hopman AHN, Gosden J: Multi-PRINS: multiple sequential oligonucleotide primed in situ DNA synthesis reactions label specific chromosomes and produce bands (O) 29
Stanier P → Forbes SA
Stapleton P, Kozmik Z, Weith A, Busslinger M: The gene coding for the B cell surface protein CD19 is localized on human chromosome 16p11 (SC) 223
Stark A → Larsson C
Steglich C → Rathmann M
Steiner RD, Paunio T, Uemichi T, Evans JP, Benson MD: Asp187Asn mutation of gelsolin in an American kindred with familial amyloidosis, Finnish type (FAP IV) (O) 327
Steinlein O, Schuster V, Fischer C, Häussler M: Benign familial neonatal convulsions: confirmation of genetic heterogeneity and further evidence for a second locus on chromosome 8q (O) 411
Stöhr H, Weber BHF: A recombination event excludes the ROM1 locus from the Best's vitelliform macular dystrophy region (SC) 219
Strachan T → Bourn D
Strnová J → Kádasi L
Struycken PM → Mariman ECM
Sugiyama N → Osaka H
Sukegawa K → Iwata H
Sukegawa K → Tomatsu S
Sulisalo T, Burgt I van der, Rimoin DL, Bonaventure J, Sillence D, Campbell JB, Chitayat D, Scott CI, Chapelle A de la, Sistonen P, Kaitila I: Genetic homogeneity of cartilage-hair hypoplasia (O) 157
Sullivan LS → McGuire RE
Sundvold H → Leren TP
Sutcliffe R → Russell A
Sutor AH → Schneppenheim R
Suzuki K → Osaka H
Suzuki T → Ding M
Suzuki Y → Iwata H
Suzuki Y → Okumiya T
Suzuki Y → Tomatsu S
Suzumori K → Namikawa C
Swaroop A → Fujita R
Szomolayová I → Kádasi L
Sørensen N → Schwartz M
Sørensen SA → Nørremølle A

Tabakoff B → Hellevuo K
Tada K → Ohura T
Takada Y → Zeng Q
Takai S → Kumar S
Takai S → Taniyama T
Takai S, Yoshida Y, Noda M, Yamada K, Kumar S: Assignment of the developmentally regulated gene NEDD1 to human chromosome 12q22 by fluorescence in situ hybridization (SC) 96
Takami H → Takiguchi-Shirahama S
Takiguchi-Shirahama S, Koyama K, Miyauchi A, Wakasugi T, Oishi S, Takami H, Hikiji K, Nakamura Y: Germline mutations of the RET protooncogene in eight Japanese patients with multiple endocrine neoplasia type 2A (MEN2A) (O) 187
Tang TK, Huang W-Y, Chang Tang C-J, Hsu M, Cheng T-A, Chen K-H: Molecular basis of glucose-6-phosphate dehydrogenase (G6PD) deficiency in three Taiwan aboriginal tribes (O) 630
Taniyama T, Takai S, Miyazaki E, Fukumura R, Sato J, Kobayashi Y, Hirakawa T, Moore KW, Yamada K: The human interleukin-10 receptor gene maps to chromosome 11q23.3 (SC) 99
Tanuma R → Kusuda J
Tapia G → Casals T
Tavares A → David D
Tavazzi D → Cappellini MD
Taylor SI → Cama A
Teh B → Grimmond S
Tekes S → Bourn D
Tellería D → Viribay M
Ten Kate LP → Vries HG de
Teshima IE → Wintle RF
Testar X → Calonge MJ
Thibodeau SN → Jacobson DR
Thomas KB → Schneppenheim R
Thompson AR → Kim DJ
Thompson GN → Blok RB
Thorburn DR → Blok RB
Tijmensen TSLN → Ouweland AMW van den
Tilborg AAG van → Cornelis RS
Toder R, Rappold GA, Schiebel K, Schempp W: ANT3 and STS are autosomal in prosimian lemurs: implications for the evolution of the pseudoautosomal region (O) 22
Todorov V → Bogdanova N
Tönz O → Schneider-Yin X
Tomatsu S, Fukuda S, Cooper A, Wraith JE, Uchiyama A, Hori T, Nakashima Y, Yamada N, Sukegawa K, Kondo N, Suzuki Y, Shimozawa N, Orii T: Mucopolysaccharidosis IVA: structural gene alterations identified by Southern blot analysis and identification of racial differences (O) 376
Tomatsu S, Fukuda S, Uchiyama A, Hori T, Nakashima Y, Sukegawa K, Kondo N, Suzuki Y, Shimozawa N, Orii T: Polymerase chain reaction detection of two novel human N-acetylgalactosamine-6-sulfate sulfatase gene polymorphisms by single-strand conformation polymorphism analysis or by *Sty*I and *Stu*I cleavages (DV) 243
Tomatsu S → Iwata H
Tonin P, Moslehi R, Green R, Rosen B, Cole D, Boyd N, Cutler C, Margolese R, Carter R, McGillivray B, Ives E, Labrie F, Gilchrist D, Morgan K, Simard J, Narod SA: Linkage analysis of 26 Canadian breast and breast-ovarian cancer families (O) 545
Tonstadt S → Leren TP
Torigoe S → Dobashi Y
Totaro A, Grifa A, Roetto A, Lunardi C, D'Agruma L, Sbaiz L, Zelante L, De Sandre G, Camaschella C, Gasparini P: New polymorphisms and markers in the HLA class I region: relevance to hereditary hemochromatosis (HFE) (O) 429
Tournamille C, Le Van Kim C, Gane P, Cartron J-P, Colin Y: Molecular basis and PCR-DNA typing of the Fya/fyb blood group polymorphism (O) 407
Toyoda A → Kusuda J
Tozzi C → DeBrasi D
Trent JM → Guan X-Y
Trommsdorff M → Kraft HG
Trueman L → Bourn D
Tsuji K, Narahara K, Yokoyama Y, Grzeschik K-H, Kunz J: The breakpoint on 7p in a patient with t(6;7) and craniosynostosis is spanned by a YAC clone containing the D7S503 locus (O) 303
Tümer Z, Berg A, Mikkelsen M: Analysis of a whole arm translocation between chromosomes 18 and 20 using fluorescence in situ hybridization: detection of a break in the centromeric α-satellite sequences (O) 299
Tuffery S, Moine P, Demaille J, Claustres M: Identification of variable length polyadenosine tract at the dystrophin locus (DV) 590
Turczynowicz S → Kumar S
Turpin JC → Lucotte G
Tybulewicz V → Hernandez D

Uchenik V → Vanagaite L
Uchiyama A → Iwata H
Uchiyama A → Tomatsu S
Uemichi T → Steiner RD
Ugazio AG → Brusco A
Umenishi F → Kajii E
Umetsu K → Ding M
Umetsu K → Yuasa I
Utermann G → Kraft HG
Utermann G → Sandholzer C

Vanagaite L, James MR, Rotman G, Savitsky K, Bar-Shira A, Gilad S, Ziv Y, Uchenik V, Sartiel A, Collins FS, Sheffield VC, Richard III CW, Weissenbach J, Shiloh Y: A high-density microsatellite map of the ataxia-telangiectasia locus (SC) 451
Van Hemel JO → Ouweland AMW van den
Van Ommen G-JB → De Rooij KE
Varrone S → DeBrasi D
Vasen HFA → Cornelis RS
Vázquez C → Estivill X
Velasco E → Viribay M
Verlind E → Kooy RF
Vermaak H → Sandholzer C
Viribay M, Tellería D, Velasco E, Moreno F, San Millán JL: Dinucleotide repeat

polymorphism at the D4S2458 locus close to the PKD2 locus on human chromosome 4q (DV) 601
Vitelli F → Papi L
Vliet M van → Cornelis RS
Vorsanova SG → Yurov YB
Vortkamp A, Heid C, Gessler M, Grzeschik K-H: Isolation and characterization of a cosmid contig for the GCPS gene region (O) 82
Vries HG de, Collée JM, Meeuwsen WP, Scheffer H, Ten Kate LP: Number and sex of offspring of ΔF508 carriers outside cystic fibrosis families (SC) 575

Wacey AI → Hallam PJ
Wagenknecht DR → Kamboh MI
Wakasugi T → Takiguchi-Shirahama S
Walters M → Grimmond S
Wang XL, Badenhop R, Humphrey KE, Wilcken DEL: C to T and/or G to A transitions are responsible for loss of a *Msp*I restriction site at the 5′-end of the human apolipoprotein AI gene (DV) 473
Weber BHF → Stöhr H
Weber G → Grimmond S
Weissenbach J → Gerber S
Weissenbach J → Vanagaite L
Weith A → Stapleton P
Wermuth B → Oppliger Leibundgut E
Wesby-van Swaay E → Ouweland AMW van den
White DL → Kumar S
White GRM → Hoban PR
White I → Larsson C
Wick PA → Schnur RE
Wiebusch H → Muntoni S
Wiemann S → Bosch A
Wijngaard A → Kooy RF
Wilcken DEL → Wang XL
Wildenberg SC, King RA, Oetting WS: Detection of a *Tsp*509I polymorphism in the 3′ UTR of the human tyrosinase related protein-1 (TYRP) gene (DV) 247
Winterpacht A, Hilbert K, Schwarze U, Zabel B: Non-radioactive multiplex-SSCP analysis: detection of a new type II procollagen gene (COL2A1) mutation (SC) 437
Wintle RF, Costa T, Haslam RHA, Teshima IE, Cox DW: Molecular analysis redefines three human chromosome 14 deletions (O) 495
Wisniewski HM → Lehtimäki T
Wolf U: The genetic contribution to the phenotype (R) 127
Wraith JE → Tomatsu S
Wüllrich A → Gossen M

Yamada K → Takai S
Yamada K → Taniyama T
Yamada N → Tomatsu S
Yamada Y → Osaka H
Yamagishi A → Iwata H
Yanagita T → Isashiki Y
Yang-Feng TL → Fujita R
Yao M → Dobashi Y
Yokoyama Y → Tsuji K
Yoshida Y → Takai S
Yuasa I → Ding M
Yuasa I, Kofler A, Braun A, Umetsu K, Bichlmaier R, Kammerer S, Cleve H: Characterization of mutants of the vitamin D-binding protein/group-specific component: molecular evolution of GC*1A2 and GC*1A3, common in some Asian populations (O) 507
Yurov YB, Laurent A-M, Marcais B, Vorsanova SG, Roizes G: Analysis of pericentromeric chromosome 21 specific YAC clones by FISH: Identification of new markers for molecular-cytogenetic application (O) 287

Zabel B → Winterpacht A
Zbar B → Brauch H
Zelante L → Bonizzato A
Zelante L → Calonge MJ
Zelante L → Totaro A
Zeng Q, Dammerman M, Takada Y, Matsunaga A, Breslow JL, Sasaki J: An apolipoprotein CIII marker associated with hypertriglyceridemia in Caucasians also confers increased risk in a west Japanese population (O) 371
Zieger B → Schneppenheim R
Ziv Y → Vanagaite L
Zlotogora J → Kafert S
Zorzano A → Calonge MJ

Announcements 248, 370, 478, 606

Editorial help 126

Erratum 605

Indexed in *Current Contents*